

**IEEE Xplore™**
RELEASE 1.4Welcome
United States Patent and Trademark Office[Help](#) [FAQ](#) [Terms](#) [IEEE Peer Review](#)**Quick Links**

» Search Result

Welcome to IEEE Xplore™

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account

Print Format

Your search matched **51** of **765102** documents.
Results are shown **50** to a page, sorted by **publication year** in **descending** order.
You may refine your search by editing the current search expression or entering a new one the text box.
Then click **Search Again**.

Search Again**Results:**Journal or Magazine = **JNL** Conference = **CNF** Standard = **STD****1 Improved hot-carrier reliability of SOI transistors by deuterium passivation of defects at oxide/silicon interfaces***Kangguo Cheng; Jinju Lee; Karl, H.; Lyding, J.W.; Young-Kwang Kim; Young-Wug Kim; Kwang-Pyuk Suh*

Electron Devices, IEEE Transactions on , Volume: 49 Issue: 3 , March 2002

Page(s): 529 -531

[\[Abstract\]](#) [\[PDF Full-Text \(71 KB\)\]](#) **JNL****2 Hot-carrier reliability comparison for pMOSFETs with ultrathin silicon-nitride and silicon-oxide gate dielectrics***Polishchuk, I.; Yee-Chia Yeo; Qiang Lu; Tsu-Jae King; Chenming Hu*

Device and Materials Reliability, IEEE Transactions on , Volume: 1 Issue: 3 , Sept. 2001

Page(s): 158 -162

[\[Abstract\]](#) [\[PDF Full-Text \(101 KB\)\]](#) **JNL****3 Performance and hot-carrier reliability of 100 nm channel length jet vapor deposited Si/sub 3/N/sub 4/ MNSFETs***Mahapatra, S.; Rao, V.R.; Cheng, B.; Khare, M.; Parikh, C.D.; Woo, J.C.S.; Vasi, J.M.*

Electron Devices, IEEE Transactions on , Volume: 48 Issue: 4 , April 2001

Page(s): 679 -684

[\[Abstract\]](#) [\[PDF Full-Text \(148 KB\)\]](#) **JNL****4 Hot carrier enhanced gate current and its impact on short channel nMOSFET reliability with ultra-thin gate oxides***Min, B.W.; Zia, O.; Celik, M.; Widenhofer, R.; Kang, L.; Song, S.; Gonzales, S.; Mendicino, A.*

Electron Devices Meeting, 2001. IEDM Technical Digest. International , 2001

Page(s): 39.5.1 -39.5.4

[\[Abstract\]](#) [\[PDF Full-Text \(266 KB\)\]](#) **CNF****5 Hot-carrier reliability of p-MOSFET with ultra-thin silicon nitride gate dielectric***Polishchuk, I.; Yee-Chia Yeo; Qiang Lu; Tsu-Jae King; Chenming Hu*

Reliability Physics Symposium, 2001. Proceedings. 39th Annual. 2001 IEEE International , 2001
Page(s): 425 -430

[\[Abstract\]](#) [\[PDF Full-Text \(432 KB\)\]](#) **CNF**

6 Hot-carrier-induced circuit degradation for 0.18 μm CMOS technology
Wei Li; Qiang Li; Yuan, J.S.; McConkey, J.; Yuan Chen; Chetlur, S.; Zhou, J.; Oates, A.S.
Quality Electronic Design, 2001 International Symposium on , 2001
Page(s): 284 -289

[\[Abstract\]](#) [\[PDF Full-Text \(340 KB\)\]](#) **CNF**

7 Developing aged SPICE model for hot carrier reliability simulation
Qiuyi Ye; Terletski, H.; Tonti, W.
Integrated Reliability Workshop Final Report, 2000 IEEE International , 2000
Page(s): 153 -154

[\[Abstract\]](#) [\[PDF Full-Text \(160 KB\)\]](#) **CNF**

8 High performance deep-submicron n-MOSFETs by nitrogen implantation and in-situ HF vapor clean
Jiann Heng Chen; Tan Fu Lei; Chia Lin Chen; Tien Sheng Chao; Wen Ying Wen; Kuag Ting Chen
Reliability Physics Symposium, 2000. Proceedings. 38th Annual 2000 IEEE International , 2000
Page(s): 180 -185

[\[Abstract\]](#) [\[PDF Full-Text \(408 KB\)\]](#) **CNF**

9 Gate-level aged timing simulation methodology for hot-carrier reliability assurance
Kawakami, Y.; Jingkun Fang; Yonezawa, H.; Iwanishi, N.; Lifeng Wu; I-Hsien Chen, A.; Koike, N.; Ping Chen; Chune-Sin Yeh; Zhihong Liu
Design Automation Conference, 2000. Proceedings of the ASP-DAC 2000. Asia and South Pacific , 2000
Page(s): 289 -294

[\[Abstract\]](#) [\[PDF Full-Text \(408 KB\)\]](#) **CNF**

10 A new technique for hot carrier reliability evaluations of flash memory cell after long-term program/erase cycles
Chung, S.S.; Cherng-Ming Yih; Shui-Ming Cheng; Mong-Song Liang
Electron Devices, IEEE Transactions on , Volume: 46 Issue: 9 , Sept. 1999
Page(s): 1883 -1889

[\[Abstract\]](#) [\[PDF Full-Text \(232 KB\)\]](#) **JNL**

11 Influence of passivation anneal position on metal coverage dependent mismatch and hot carrier reliability
Chetlur, S.; Sen, S.; Harris, E.; Vaidya, H.; Kizilyalli, I.; Gregor, R.; Harding, B.
Physical and Failure Analysis of Integrated Circuits, 1999. Proceedings of the 1999 7th International Symposium on the , 1999
Page(s): 21 -24

[\[Abstract\]](#) [\[PDF Full-Text \(284 KB\)\]](#) **CNF**

12 A manufacturable and reliable low-k inter-metal dielectric using fluorinated oxide (FSG)

Chang, W.; Jang, S.M.; Yu, C.H.; Sun, S.C.; Liang, M.S.

Interconnect Technology, 1999. IEEE International Conference , 1999

Page(s): 131 -133

[\[Abstract\]](#) [\[PDF Full-Text \(188 KB\)\]](#) **CNF**

13 Design in hot-carrier reliability for high performance logic applications

Peng Fang; Jiang Tao; Chen, J.F.; Chenming Hu

Custom Integrated Circuits Conference, 1998. Proceedings of the IEEE 1998 , 1998

Page(s): 525 -531

[\[Abstract\]](#) [\[PDF Full-Text \(416 KB\)\]](#) **CNF**

14 Hot-carrier degradation mechanism and promising device design of nMOSFETs with nitride sidewall spacer

Sambonsugi, Y.; Sugii, T.

Reliability Physics Symposium Proceedings, 1998. 36th Annual. 1998 IEEE International , 1998

Page(s): 184 -188

[\[Abstract\]](#) [\[PDF Full-Text \(380 KB\)\]](#) **CNF**

15 Deuterium post-metal annealing of MOSFET's for improved hot carrier reliability

Kizilyalli, I.C.; Lyding, J.W.; Hess, K.

IEEE Electron Device Letters , Volume: 18 Issue: 3 , March 1997

Page(s): 81 -83

[\[Abstract\]](#) [\[PDF Full-Text \(72 KB\)\]](#) **JNL**

16 A unified approach to profiling the lateral distributions of both oxide charge and interface states in n-MOSFET's under various bias stress conditions

Shui-Ming Cheng; Cheng-Ming Yih; Jun-Chyi Yeh; Song-Nian Kuo; Chung, S.S.

Electron Devices, IEEE Transactions on , Volume: 44 Issue: 11 , Nov. 1997

Page(s): 1908 -1914

[\[Abstract\]](#) [\[PDF Full-Text \(244 KB\)\]](#) **JNL**

17 A novel charge-pumping method for extracting the lateral distributions of interface-trap and effective oxide-trapped charge densities in MOSFET devices

Hsin-Hsien Li; Yu-Lin Chu; Ching-Yuan Wu

Electron Devices, IEEE Transactions on , Volume: 44 Issue: 5 , May 1997

Page(s): 782 -791

[\[Abstract\]](#) [\[PDF Full-Text \(296 KB\)\]](#) **JNL**

18 **Comparison of NMOS and PMOS hot carrier effects from 300 to 77 K**

Song, M.; MacWilliams, K.P.; Woo, J.C.S.

Electron Devices, IEEE Transactions on , Volume: 44 Issue: 2 , Feb. 1997

Page(s): 268 -276

[\[Abstract\]](#) [\[PDF Full-Text \(216 KB\)\]](#) JNL

19 **A study of hot-carrier degradation in n- and p-MOSFETs with ultra-thin gate oxides in the direct-tunneling regime**

Momose, H.S.; Nakamura, S.-I.; Ohguro, T.; Yoshitomi, T.; Morifuji, E.; Morimoto, T.; Katsumata, Y.; Iwai, H.

Electron Devices Meeting, 1997. Technical Digest., International , 1997

Page(s): 453 -456

[\[Abstract\]](#) [\[PDF Full-Text \(260 KB\)\]](#) CNF

20 **Direct BSIM3v3 parameter extraction for hot-carrier reliability simulation of N-channel LDD MOSFETs**

Minehane, S.; Healy, S.; O'Sullivan, P.; McCarthy, K.; Mathewson, A.; Mason, B.

Physical & Failure Analysis of Integrated Circuits, 1997., Proceedings of the 1997 6th International Symposium on , 1997

Page(s): 133 -139

[\[Abstract\]](#) [\[PDF Full-Text \(472 KB\)\]](#) CNF

21 **Evolution of BSIM3v3 parameters during hot-carrier stress**

Minehane, S.; O'Sullivan, P.; Mathewson, A.; Mason, B.

Integrated Reliability Workshop Final Report, 1997 IEEE International , 1997

Page(s): 110 -118

[\[Abstract\]](#) [\[PDF Full-Text \(612 KB\)\]](#) CNF

22 **Digital test circuit design and optimization for AC hot-carrier reliability characterization and model calibration under realistic high frequency stress conditions**

Jiang, W.; Le, H.; Kim, S.A.; Chung, J.E.; Wu, Y.-J.; Bendix, P.; Jensen, J.; Ardans, R.; Prasad, S.; Kapoor, A.; Kopley, T.E.; Dungan, T.; Marcoux, P.

Microelectronic Test Structures, 1997. ICMTS 1997. Proceedings. IEEE International Conference on , 1997

Page(s): 56 -62

[\[Abstract\]](#) [\[PDF Full-Text \(592 KB\)\]](#) CNF

23 **New understanding of LDD CMOS hot-carrier degradation and device lifetime at cryogenic temperatures**

Wang-Ratkovic, J.; Lacoe, R.C.; MacWilliams, K.P.; Miryeong Song; Brown, S.; Yabiku, G.

Reliability Physics Symposium, 1997. 35th Annual Proceedings., IEEE International , 1997

Page(s): 312 -319

[\[Abstract\]](#) [\[PDF Full-Text \(692 KB\)\]](#) CNF

24 Hot-carrier reliability of n- and p- channel MOSFETS with polysilicon and CVD tungsten-polycide gate

Lou, C.L.; Chim, W.K.; Chan, D.S.H.; Pan, Y.

Reliability of Electron Devices, Failure Physics and Analysis, 1996. Proceedings of the 7th European Symposium on , 1996

Page(s): 1663 -1666

[\[Abstract\]](#) [\[PDF Full-Text \(228 KB\)\]](#) **CNF**

25 The application of a direct parameter extraction strategy to hot-carrier reliability simulation of n-channel LDD MOSFETS

Minehane, S.; Meehan, A.; O'Sullivan, P.; Mathewson, A.; Mason, B.

Integrated Reliability Workshop, 1996., IEEE International

Page(s): 20 -26

[\[Abstract\]](#) [\[PDF Full-Text \(524 KB\)\]](#) **CNF**

26 Hot carrier reliability in high-power PHEMTs

Chou, Y.C.; Li, G.P.; Yu, K.K.; Chu, P.; Hou, L.D.; Wu, C.S.; Midford, T.A.

Gallium Arsenide Integrated Circuit (GaAs IC) Symposium, 1996. Technical Digest 1996., 18th Annual , 1996

Page(s): 46 -49

[\[Abstract\]](#) [\[PDF Full-Text \(324 KB\)\]](#) **CNF**

27 The effect of intrinsic capacitance degradation on circuit performance

Changhong Dai; Walstra, S.V.; Shiu-Wuu Lee

VLSI Technology, 1996. Digest of Technical Papers. 1996 Symposium on , 1996

Page(s): 196 -197

[\[Abstract\]](#) [\[PDF Full-Text \(144 KB\)\]](#) **CNF**

28 Anomalous hot carrier degradation of nMOSFET's at elevated temperatures

Hyunsang Hwang; Jung-Suk Goo; Hoyup Kwon; Hyungsoon Shin

IEEE Electron Device Letters , Volume: 16 Issue: 4 , April 1995

Page(s): 148 -150

[\[Abstract\]](#) [\[PDF Full-Text \(196 KB\)\]](#) **JNL**

29 An improvement of hot-carrier reliability in the stacked nitride-oxide gate n- and p-MISFET's

Momose, H.S.; Morimoto, T.; Ozawa, Y.; Yamabe, K.; Iwai, H.

Electron Devices, IEEE Transactions on , Volume: 42 Issue: 4 , April 1995

Page(s): 704 -712

[\[Abstract\]](#) [\[PDF Full-Text \(664 KB\)\]](#) **JNL**

30 Device reliability and optimization on halo MOSFETs

Duheaon Song; Junhee Lim; Kyungho Lee

Reliability Physics Symposium, 1995. 33rd Annual Proceedings., IEEE International , 1995

Page(s): 271 -275

[\[Abstract\]](#) [\[PDF Full-Text \(380 KB\)\]](#) **CNF**

31 Impact of velocity saturation region on nMOSFET's hot carrier reliability at elevated temperatures*Hyunsang Hwang; Jung-Suk Go; Hoyup Kwon; Hyungsoon Shin*

Reliability Physics Symposium, 1995. 33rd Annual Proceedings., IEEE International , 1995

Page(s): 48 -50

[\[Abstract\]](#) [\[PDF Full-Text \(260 KB\)\]](#) **CNF**

32 LDD charge pumping-direct measurement of interface states in the overlap region*Prabhakar, V.; Brozek, T.; Chan, Y.D.; Viswanathan, C.R.*

Electron Devices Meeting, 1995., International , 1995

Page(s): 45 -48

[\[Abstract\]](#) [\[PDF Full-Text \(284 KB\)\]](#) **CNF**

33 Hot-carrier-reliability design rules for translating device degradation to CMOS digital circuit degradation*Quader, K.N.; Peng Fang; Yue, J.T.; Ko, P.K.; Chenming Hu*

Electron Devices, IEEE Transactions on , Volume: 41 Issue: 5 , May 1994

Page(s): 681 -691

[\[Abstract\]](#) [\[PDF Full-Text \(896 KB\)\]](#) **JNL**

34 Hot-carrier-reliability design guidelines for CMOS logic circuits*Quader, K.N.; Minami, E.R.; Wei-Jen Ko; Ko, P.K.; Chenming Hu*

Solid-State Circuits, IEEE Journal of , Volume: 29 Issue: 3 , March 1994

Page(s): 253 -262

[\[Abstract\]](#) [\[PDF Full-Text \(796 KB\)\]](#) **JNL**

35 Hot-carrier-injection (HCI) immunity under high drain stress of thin-film SOI n-MOSFETs fabricated on SIMOX and BESOI substrates*Wang, J.; Huang, W.M.; Bor-Yuan Hwang; Racanelli, M.; Foerstner, J.; Woo, J.*

SOI Conference, 1994 Proceedings., 1994 IEEE International , 1994

Page(s): 129 -130

[\[Abstract\]](#) [\[PDF Full-Text \(132 KB\)\]](#) **CNF**

36 Enhanced degradation of nMOSFET's under hot carrier stress at elevated temperatures due to the length of velocity saturation region*Hyunsang Hwang; Jung-Suk Goo; Hoyup Kwon; Hyungsoon Shin*

Integrated Reliability Workshop, 1994. Final Report., 1994 International , 1994

Page(s): 69 -72

[\[Abstract\]](#) [\[PDF Full-Text \(272 KB\)\]](#) **CNF**

37 Evaluation of the predictive capability of Berkeley's hot-carrier reliability model
Meehan, A.; O'Sullivan, P.; Hurley, P.; Mathewson, A.
Integrated Reliability Workshop, 1994. Final Report., 1994 International , 1994
Page(s): 148

[\[Abstract\]](#) [\[PDF Full-Text \(124 KB\)\]](#) **CNF**

38 Effect of plasma-induced charging damage on n-channel and p-channel MOSFET hot carrier reliability
Mistry, R.R.; Fishbein, B.J.; Doyle, B.S.
Reliability Physics Symposium, 1994. 32nd Annual Proceedings., IEEE International , 1994
Page(s): 42 -47

[\[Abstract\]](#) [\[PDF Full-Text \(492 KB\)\]](#) **CNF**

39 The effect of plasma-induced oxide and interface degradation on hot carrier reliability
Noguchi, K.; Okumura, K.
Reliability Physics Symposium, 1994. 32nd Annual Proceedings., IEEE International , 1994
Page(s): 232 -237

[\[Abstract\]](#) [\[PDF Full-Text \(440 KB\)\]](#) **CNF**

40 Circuit design guidelines for n-channel MOSFET hot carrier robustness
Mistry, K.R.; Fox, T.F.; Preston, R.P.; Arora, N.D.; Doyle, B.S.; Nelsen, D.E.
Electron Devices, IEEE Transactions on , Volume: 40 Issue: 7 , July 1993
Page(s): 1284 -1295

[\[Abstract\]](#) [\[PDF Full-Text \(1092 KB\)\]](#) **JNL**

41 Effects of interfacial oxide on hot carrier reliability of polysilicon emitter npn transistors
Reuss, R.H.; Varker, C.J.; Bunevich, P.
Bipolar/BiCOMS Circuits and Technology Meeting, 1993., Proceedings of the 1993 , 1993
Page(s): 219 -222

[\[Abstract\]](#) [\[PDF Full-Text \(420 KB\)\]](#) **CNF**

42 Process induced oxide damage and its implications to device reliability of submicron transistors
Rakkhit, R.; Heiler, F.P.; Fang, P.; Sander, C.
Reliability Physics Symposium, 1993. 31st Annual Proceedings., International , 1993
Page(s): 293 -296

[\[Abstract\]](#) [\[PDF Full-Text \(248 KB\)\]](#) **CNF**

43 Hot-carrier reliability in double-implanted lightly doped drain devices for advanced DRAMs
Ditali, A.; Fazan, P.; Khan, I.
Electronics Letters , Volume: 28 Issue: 1 , 2 Jan. 1992

Page(s): 19 -21

[\[Abstract\]](#) [\[PDF Full-Text \(248 KB\)\]](#) **JNL**

44 An Accurate Approach To Simulating The Hot Carrier Reliability Of MOS IC's Under AC Stress*Chung, S.S.; Hsu, P.-C.; Lee, J.-S.*

Custom Integrated Circuits Conference, 1992., Proceedings of the IEEE 1992

Page(s): 18.4.1 -18.4.4

[\[Abstract\]](#) [\[PDF Full-Text \(260 KB\)\]](#) **CNF**

45 An in-process monitor for n-channel MOSFET hot carrier lifetimes*Mistry, K.R.; Krakauer, D.B.; Doyle, B.S.; Spooner, T.A.; Jackson, D.B.*

Reliability Physics Symposium 1992. 30th Annual Proceedings., International , 1992

Page(s): 116 -121

[\[Abstract\]](#) [\[PDF Full-Text \(480 KB\)\]](#) **CNF**

46 Effect of synchrotron X-ray radiation on the channel hot-carrier reliability of reoxidized nitrided silicon dioxide*Dunn, G.J.*

IEEE Electron Device Letters , Volume: 12 Issue: 1 , Jan. 1991

Page(s): 8 -9

[\[Abstract\]](#) [\[PDF Full-Text \(192 KB\)\]](#) **JNL**

47 Channel hot-carrier stressing of reoxidized nitrided oxide p-MOSFETs*Dunn, G.J.; Krick, J.T.*

Electron Devices, IEEE Transactions on , Volume: 38 Issue: 4 , April 1991

Page(s): 901 -906

[\[Abstract\]](#) [\[PDF Full-Text \(552 KB\)\]](#) **JNL**

48 Hot carrier reliability in deep submicrometer MOSFETs*Hazama, H.; Iwase, M.; Takagi, S.*

Electron Devices Meeting, 1990. Technical Digest., International , 1990

Page(s): 569 -572

[\[Abstract\]](#) [\[PDF Full-Text \(264 KB\)\]](#) **CNF**

49 Hot-carrier reliability of bipolar transistors*Burnett, D.; Hu, C.*

Reliability Physics Symposium, 1990. 28th Annual Proceedings., International , 1990

Page(s): 164 -169

[\[Abstract\]](#) [\[PDF Full-Text \(376 KB\)\]](#) **CNF**

50 Hot-carrier reliability in submicron pMOSFETs

Koyanagi, M.; Huang, T.; Lewis, A.; Chen, J.Y.

VLSI Technology, Systems and Applications, 1989. Proceedings of Technical Papers. 1989

International Symposium on , 1989

Page(s): 312 -316

[\[Abstract\]](#) [\[PDF Full-Text \(312 KB\)\]](#) **CNF**

1 2 [\[Next\]](#)

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#)
[Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#)
[No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2002 IEEE — All rights reserved